

MATERIAL & FINISH:

1. BODY: BRASS, ALBALOY PLATED
2. CENTER CONTACT: PHOSPHOR BRONZE, SEE TABEL
3. UNLOCK SLEEVE: BRASS, ALBALOY PLATED
3. INSULATOR: PEI


ENVIRONMENTAL DATA:

1. TEMPERATURE RANGE: -55 °C~+125 °C
2. 2011/65/EU (RoHS): COMPLIANT

ELECTRICAL SPECIFICATIONS:

1. IMPEDANCE: 50 Ω
2. FREQUENCY RANGE: DC~18 GHZ
3. VSWR: 1.20 MAX. AT DC~6 GHZ

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
E	FINISH CHANGED	04/05/13	J. QU
F	ANO 531-511-1044A CHANGED TO ANO 531-511-1044-1	12/3/14	J. QU



P/N	PART	FINISH
ANO 531-511-1044	CENTER CONTACT	GOLD
ANO 531-511-1044-1		SILVER

DRAWN L. YANG	DATE 12/3/14				
CHECKED X. B. YANG	DATE 12/3/14				
APPROVED J. QU	DATE 12/3/14				
<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:</small>		<small>THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2014 ANOISON ELECTRONICS LTD</small>		TITLE ADAPTER, HPQN MALE TO N MALE	
<small>.XX ±0.13 [.005"] .X ±0.20 [.008"] X ±0.50 [.019"] .X° ±1° X° ±2°</small>		VIEW 	PART NO. ANO 531-511-1044		
		SIZE A3	SCALE 4:1	SHEET 1/1	REV. F